

2025 Environmental Dashboard: Peterborough (Uranium)

At BWXT Nuclear Energy Canada's (BWXT) Peterborough facility, air and water emissions are measured for the presence of uranium and results show the 1160 Monaghan Road facility is a near-zero emissions plant.

Airborne and liquid effluent discharged from a fuel fabrication facility like BWXT are regulated by concentration limits. Action Levels and our own internal limits are set at just a fraction of the Licence Release Limits, which are set by the Canadian Nuclear Safety Commission (CNSC), to keep public exposure to any radiation as low as possible. Although Action Levels are set below Licence Release Limits, exceeding an Action Level is considered a CNSC reportable event in which BWXT must notify the Commission within 24 hours of becoming aware that an Action Level has been exceeded. Accordingly, BWXT has established Internal Control Levels for various radiological and environmental parameters that are set even lower than Action Levels to act as an early warning system. An Internal Control Level exceedance results in internal investigation and corrective and preventive action.

Water: Wastewater is generated from routine cleaning activities in the fuel bundle assembly area. The water is held in a drum, filtered and agitated prior to sampling, then sent for independent analysis at an accredited external laboratory. After the wastewater sample result is verified to be below the Internal Control Level of 3 ppm (per batch) and the Action Level of 3 ppm (annual average), the water is discharged to the sanitary sewer. The Action Level is 0.003 g/L (3 ppm (annual average)) and the Licence Release Limit is 0.14 g/L (weekly composite).

Air: The facility performs continuous in-stack monitoring of the single process uranium air emission point, drawing a sample of air across a filter capable of trapping uranium dust. The samples are analyzed by an independent laboratory. The minimum detection limit is 0.01 µg uranium. The Action Level is 1.0 µg/m³ and the Licence Release Limit is 410 µg/m³.

To continue to demonstrate transparency and provide information to the public, BWXT has developed this Environmental Dashboard to provide more detail on our low uranium emissions. This document will be updated throughout the year when new data becomes available.

For more information, please visit the [Environmental Monitoring](#) page of our website or refer to our Annual Compliance Reports, a thorough document submitted to the CNSC annually, which can be found on our website [here](#).

If you have any questions, please contact us at questions@bwxt.com or 1.855.696.9588 (toll-free).

2025 Environmental Dashboard: Peterborough (Uranium)

Water			
Status: no action level exceedances			
Week	Concentration (mg/L)	Licence Release Limit (mg/L)	Number of Action Level Exceedances
Jan 1	--	140	--
Jan 8	0.0438	140	0
Jan 15	--	140	--
Jan 22	--	140	--
Jan 29	--	140	--
Feb 5	--	140	--
Feb 12	--	140	--
Feb 19	--	140	--
Feb 26	--	140	--
Mar 4	--	140	--
Mar 11	--	140	--
Mar 18	--	140	--
Mar 25	--	140	--
Apr 1	0.0228	140	0
Apr 8	--	140	--
Apr 15	--	140	--
Apr 22	--	140	--
Apr 29	--	140	--
May 6	--	140	--
May 13	--	140	--
May 20	--	140	--
May 27	--	140	--
Jun 3	--	140	--
Jun 10	--	140	--
Jun 17	--	140	--
Jun 24	--	140	--
Jul 1	--	140	--
Jul 8	--	140	--
Jul 15	0.0594	140	0
Jul 22	--	140	--
Jul 29	--	140	--
Aug 5	--	140	--
Aug 12	--	140	--
Aug 19	--	140	--
Aug 26	--	140	--
Sep 2	--	140	--
Sep 9	--	140	--
Sep 16	--	140	--
Sep 23	--	140	--
Sep 30	--	140	--
Oct 7	--	140	--
Oct 14	0.0137	140	0
Oct 21	--	140	--
Oct 28	--	140	--
Nov 4	--	140	--
Nov 11	--	140	--
Nov 18	0.0236	140	0
Nov 25	--	140	--
Dec 2	--	140	--
Dec 9	--	140	--
Dec 16	--	140	--
Dec 23	--	140	--

Stack (Air)			
Status: no action level exceedances			
Week	Concentration (µg/m³)	Licence Release Limit (µg/m³)	Number of Action Level Exceedances
Jan 1	--	410	--
Jan 8	0.0002	410	0
Jan 15	0.0036	410	0
Jan 22	0.0018	410	0
Jan 29	0.0009	410	0
Feb 5	0.0016	410	0
Feb 12	0.0020	410	0
Feb 19	0.0006	410	0
Feb 26	0.0005	410	0
Mar 4	0.0005	410	0
Mar 11	0.0012	410	0
Mar 18	0.0004	410	0
Mar 25	0.0005	410	0
Apr 1	0.0008	410	0
Apr 8	0.0031	410	0
Apr 15	0.0005	410	0
Apr 22	0.0004	410	0
Apr 29	0.0041	410	0
May 6	0.0017	410	0
May 13	0.0009	410	0
May 20	0.0005	410	0
May 27	0.0004	410	0
Jun 3	0.0012	410	0
Jun 10	0.0005	410	0
Jun 17	0.0003	410	0
Jun 24	0.0008	410	0
Jul 1	0.0004	410	0
Jul 8	0.0002	410	0
Jul 15	0.0005	410	0
Jul 22	0.0004	410	0
Jul 29	0.0004	410	0
Aug 5	0.0003	410	0
Aug 12	0.0001	410	0
Aug 19	0.0003	410	0
Aug 26	0.0013	410	0
Sep 2	0.0006	410	0
Sep 9	0.0005	410	0
Sep 16	0.0025	410	0
Sep 23	0.0009	410	0
Sep 30	0.0005	410	0
Oct 7	0.0005	410	0
Oct 14	0.0000	410	0
Oct 21	0.0000	410	0
Oct 28	0.0004	410	0
Nov 4	0.0001	410	0
Nov 11	0.0007	410	0
Nov 18	0.0003	410	0
Nov 25	0.0008	410	0
Dec 2	0.0041	410	0
Dec 9	0.0025	410	0
Dec 16	0.0046	410	0
Dec 23	0.0020	410	0

Note: if you would like the Dashboard table in .xls format (Excel), please email us at questions@bwxt.com